

Invitation to Bid No. :  
 Specification No. : RHDW-004/2550  
 C4 Price schedule

Manufacturer :  
 Trade-mark :  
 Country of Origin :  
 Bidder :  
 Bid No. :  
 Date :

**COPY**

Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
1	101000100		Overhead ground wire corner and dead-end bayonet, channel steel, 100x50x5 mm, 2,250 mm long.			
	1010010002		Overhead ground wire corner bayonet, angle steels, 65x65x6 mm, 2,250 mm and 2,100 mm long, the second piece shall be furnished with two(2) machine bolts M 12x35 mm and two(2) lockwashers.			
	1010010003		Overhead ground wire bayonet, angle steel, 65x65x6 mm, 2,250 mm long.			
2	1010010004		Overhead ground wire corner bayonet, angle steel, 65x65x6 mm, 2,500 mm long.			
	1010010005		Overhead ground wire corner bayonet, angle steels, 65x65x6 mm, 2,500 mm and 2,150 mm long, the second piece shall be furnished with two(2) machine bolts M 12x35 mm and two(2) lockwashers.			
II						

Invitation to Bid No. :  
 Specification No. : RHDW-004/2550  
 C4 Price schedule

Manufacturer :  
 Trade-mark :  
 Country of Origin :  
 Bidder :  
 Bid No. :  
 Date :

Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
3	1010230200 1010230201 1010230203		Ground wire support and clamp, for wood bayonet and steel stranded conductor sizes 25-50 mm <sup>2</sup> . Ditto as Item 6, but concrete pole and steel stranded conductor sizes 25-50 mm <sup>2</sup> . Ground wire support and clamp, for steel angle bayonet and steel stranded conductor sizes 25-50 mm <sup>2</sup> .			
4	1010230205 1010230003 1010030006		Ground wire clamp, J 1152, for steel stranded conductor sizes 16-35 mm <sup>2</sup> . Clamp, triple bolt, M16, for steel stranded wire 35 mm <sup>2</sup> . Plate, steel for overhead ground wire bayonet.			
	II					

Invitation to Bid No.  
Specification No. : R-88/2546

Manufacturer :  
Trade-mark :  
Country of Origin:  
Bidder :  
Bid No. :  
Date :

C4 Price schedule

Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
1	01210000 (1010210000)		Anchor rod, forged round eye, M 16 x 2,000 mm, complete with two (2) square nuts and one (1) square curved washer, minimum breaking strength ..... kgf.  Alternative Anchor rod, steel, arc welded oval eye, M 16x2,000 mm, complete with two (2) square nuts and one (1) square curved washer, minimum breaking strength ..... kgf.  Ditto as Item 1, but M 20x2,500 mm, minimum breaking strength ..... kgf.  Anchor rod, forged double strand eye, M 20x2,500 mm, complete with two (2) square nuts and one (1) square curved washer, minimum breaking strength ..... kgf.			
1a	01210000 (1010210000)					
	01210001 (1010210001)					
	01210003 (1010210003)					

Invitation to Bid No.

Specification No. : R-88/2546

Manufacturer :

Trade-mark :

Country of Origin :

Bidder :

Bid No. :

Date :

**C4 Price schedule**

Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
	01210004 (๓๑๑๒1๐๐๓4)		Anchor rod, forged double strand eye, M 24x2,500 mm, complete with one (1) square nut, minimum breaking strength ..... kgf.			
	01210100 (๓๑๑๑๒1๑๑๐๐)		Set of sidewalk guy arm shall consist of : one (1) steel pipe 2.5 m long, one (1) pole fitting, one (1) clamp end fitting with guy clamp.			
	01210101 (๓๑๑๑๒1๑๑๐1)		Set of sidewalk guy arm shall consist of : one (1) steel pipe 3.0 m long, one (1) pole fitting, one (1) clamp end fitting with guy clamp.			
	01210102 (๓๑๑๑๒1๑๑๐๒)		Guy guard, 2 m long, sheet steel thick ..... mm. ✓			
	01210200 (๓๑๑๑๒1๑๒๐๐)		Bolt, single strand eye, M16x350 mm, complete with one (1) square nut, minimum breaking strength ..... kgf.			
	01210201 (๓๑๑๑๒1๑๒๐1)		Bolt, single forged strand eye, 45°, M16x250 mm, complete with one (1) square nut, minimum breaking strength ..... kgf.			
3	II					

Invitation to Bid No.  
Specification No. : R-98/2546

Manufacturer :  
Trade-mark :  
Country of Origin:

C4 Price schedule

Bidder :  
Bid No. :  
Date :

Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
4	01210300 (1010210300)		Ditto as Item 9, but M 16x350 mm, minimum breaking strength ..... kgf.			
5	01210302 (1010210302)		Ditto as Item 9, but for steel stranded wire 50-95 mm <sup>2</sup> , M 20x350 mm, minimum breaking strength ..... kgf.			
6	01210304 (1010210304)		Ditto as Item 9, but for steel stranded wire 50-95 mm <sup>2</sup> , M 20x400 mm, minimum breaking strength ..... kgf.			
7	01230000 (1010230000)		Angle guy attachment, 30°, minimum breaking strength ..... kgf.			
	01230001 (1010230001)		Shackle, anchor, steel, for guy, minimum breaking strength ..... kgf.			
	01230001 (1010230001)		Guy thimble.			
	01230001 (1010230001)		Clamp, single U-bolt, M 8.			
	01230001 (1010230001)		Clamp, double eye-bolt, M 16.			

II

Invitation to Bid No.  
 Specification No. : R-824/2589  
 C4 Price schedule

Manufacturer :  
 Trade-mark :  
 Country of Origin:  
 Bidder :  
 Bid No. :  
 Date :

Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
8	01220002 (1010230002)		Ground rod, 60x60x5 mm, 2 m long, complete with connector.			
	01230000 (1010230000)					
	08040001 (1080010001)					
	08040002 (1080010002)					
	08040003 (1080010003)		Ditto as Item 2, but nominal size 20, 2.5 m long.			
			Ditto as Item 2, but 4 m long.			
			Ditto as Item 2, but nominal size 65, 1 m long.			

Invitation to Bid No. :

- 14 -

Specification No. : RHDW-013/2554

Manufacturer :

Trade-mark :

Country of Origin :

Bidder :

Bid No. :

Date :

C4 Price schedule

PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (see details & conditions attached)
01150052 (1010150052)		Bolt, double arming, oval eye, M 16 x 350 mm, complete with three (3) square nuts, minimum breaking strength ..... kgf.			
02440105 (1020440105)		Bracket, of channel steel, 75 X 40 X 5 mm, for aerial cable tangent support			
05100003 (1050100003)		Bracket, Steel, for transformer secondary lead. Complete with one (1) machine bolt M 16 x 130 mm, one (1) nut, and one (1) lockwasher.			
1010200009		Brace, alley arm, of angle steel, 50x50x6 mm, 1,000 mm long.			
1010030005		Plate, steel, 6 x 100 mm, 900 mm long.			
II					