

Specification No.: RTES-N1-กบษ.-002/2565 : Acoustic Sound Imaging for Ultrasound

Page 1 of 6

C3 Schedule of detailed requirement

PEA Material No.	Quantity		Description		
-	set(s)	Acoustic Sound Imaging for Ultrasound, one-handed carrying handle (built-in type), to use for locating sound sources from Electric power System (Partial Discharge) and to characterize them, It consists of a group of MEMS (Micro Electro Mechanical Systems), from which signals are simultaneously collected and processed to form a representation of the location of the sound sources, consisting of:			
			or Ultrasound, with:		
		Display Display resolution Weight Operating temperature Protection standard Relative humidity Battery and Charging Battery life Zoom Storage capacity Video format	: one-handed carrying handle (built-in type) for convenience, The handle is designed to held with one hand in balance ergonomics to help users from fatigue. Convenience to hold camera by one hand and use other hand to take snapshots, zoom or adjust parameters. : not less than 5" LCD with touchscreen : not less than 800 x 480 pixels : not more than 1.25 kg (2.79 lb) including battery. Light weight, easy for carrying : up to 50°C (122°F), or better : IP51, or better : 10% to 85%, or better : rechargeable Battery with adapter single phase, 230 Vac ± 10%, 50 Hz : not less than 2 hours continuous operation : 2x digital zoom : up to 32 GB or up to 999 records : *.avi or *.wmv or *.mpeg4 or *.webm, or more		
	Material	Material Quantity No.	Material No. set(s) Acoustic Sound Imaging for (built-in type), to use for local System (Partial Discharge) at of MEMS (Micro Electro Mare simultaneously collected location of the sound sources 1.1 Acoustic Sound Imaging for 1). General Carrying handle Display Display resolution Weight Operating temperature Protection standard Relative humidity Battery and Charging Battery life Zoom Storage capacity		



Specification No.: RTES-N1-กบษ.-002/2565 : Acoustic Sound Imaging for Ultrasound

Page 2 of 6

C3 Schedule of detailed requirement

T	PEA			
Item	Material	Quantity		Description
	No.			
			Interface	: Wi-Fi and USB or more for transferring data
				for update a new firmware of wireless for
				uploading data to cloud.
			Languages	: English and Thai for software and firmware
				Thai and English languages support in the
				camera and cloud. Easy for users
			2). Camera & Optical System	
			Video range	: at least 5 minute, or more
			3). Acoustic Specification	
			Microphones	: not less than 124 low-noise MEMS
				microphones
			Frequency	: not less than 2 to 65 kHz
			Detection distance rang	ge: 0.5 to 100 m, or better
			Sensitivity	: up to -15 dB or detect a least 3.33 cc/sec at
				10 m
			Acoustic frame rate	: not less than 25 fps
			Source visualization	: detect more than single source in display
			PD Classification featu	res : real-time PRPD pattern on display,
				Recognizes the sounds partial discharges
				emit and distinguishes them from other
				sounds.
			4). Legal	
			RoHS Compliant	: yes
			Safety/Certifications	: yes (Standard of EMC, CE, KC, FCC, etc.)



Specification No.: RTES-N1-กบษ.-002/2565 : Acoustic Sound Imaging for Ultrasound

Page 3 of 6

C3 Schedule of detailed requirement

	PEA		
Item	Material No.	Quantity	Description
			5). Report
			Data analysis and reporting by machine learning based analysis on
			cloud comprising useful function for windows operating system, completed
			with offline software, with:
			- Automatically generate PDF reports. Generate reports via use wireless
			connecting to cloud system, Support smart mobile device or computer.
			- Partial discharge type classification and severity assessment with
			recommended actions by using the AI-powered to analyzer problems.
			- Data transmission/Download file
			- Image/Video viewer
			- Replay Video
			Complete with:
			1. Carrying Case
			2. Instruction manual in English and Thai
			3. Other accessories according to manufacturer's design and auxiliary
			equipment necessary to complete.
			4. One (1) set battery charger and two (2) sets battery
			5. AC Power adapter, single phase, 230 VAC, 50 Hz
			6. Color inkjet multifunction printer (print, scan and copy), resolution
			4,800x1,200 dpi for full color report, A4 document size or better
			7. Other accessories according to manufacturer's design and auxiliary
			equipment necessary to complete.



Specification No.: RTES-N1-กบษ.-002/2565 : Acoustic Sound Imaging for Ultrasound

Page 4 of 6

C3 Schedule of detailed requirement

Invitati	on to Bid No.:			
Item	PEA Material	Quantity		Description
Item	No.	Quantity		Description
			1.2 Notebook computer with	
			_	: Intel Core i7, Gen 11 th , 2.80 GHz or better
			Core CPU	: not less than 4 cores, 8 threads
			Cache CPU	: not less than 12 MB
			Memory RAM	: not less than 16 GB LPDDR4x or better
			Storage	: not less than 256 GB SSD (removable)
			Display	: not less than 12.3" color display, 100% sRGB
				color or better with touchscreen
			Operation System	: Window 10 Pro 64-bit or later edition with
				Digital license or Full package Product (FPP)
			Wireless	: Wi-fi 6 and Bluetooth 5.0 and LTE Advanced
				with removeable SIM or eSIM support or
				better
			Network port	: Ethernet port (Adapter accepted)
			Connection port	: USB-A 3.0 and USB-C 3.1 or better
			Display port	: VGA or HDMI (Adapter accepted)
			Battery Life	: up to 15 hours (for typical device usage)
			Camera	: Front-facing camera with 5.0MP or better
				Rear-facing camera with 8.0MP or better
			Accessories	: Bluetooth Pen, Bluetooth Mouse, Bluetooth
				Keyboard with trackpad
			Weight	: not more than 1.000 kg (exclude accessories)
			Power supply	: Single phase, 230 VAC, 50 Hz and battery
				operated
			Warranty	: 1-year limited hardware warranty



Specification No.: RTES-N1-กบษ.-002/2565 : Acoustic Sound Imaging for Ultrasound

Page 5 of 6

C3 Schedule of detailed requirement

111 / 1141	ion to Dia No.:	<u> </u>	
Item	PEA Material	Quantity	Description
Item	No.	Quantity	Description
			The notebook computer shall be completed with:
			 Microsoft Office Home & Business 2019 with product
			license or later edition
			 Antivirus software (later edition) with product license
			Power supply adapter and Power cord
			 Notebook Bag
			Note:
			1. The bidder has to quote the unit costs.
			2. The bidders shall be sole distributor or authorized representative and have
			permanent office in Thailand; otherwise, shall not be accepted.
			3. The device is able to search details or catalogs on the manufacturer's
			website. If any information does not match the manufacturer's website,
			PEA will not be considered.
			4. The bidder has to quote training course, spare parts and optional
			accessories with a list of quantities and their itemized prices, if any; PEA
			reserves the right to purchase the training course, spare parts and optional
			accessories by some or all of items, to adjust their quantities, or to cancel
			them.
			5. Evaluation and comparison of bid price shall not include the training
			course, spare parts and optional accessories.
			6. The bidder has to submit sufficient references describing the previous
			experience of the suppliers (e.g. list of supply of equipment and/or
			materials having the same of similar design as proposed, field experience,
			the registration of TISI, the copies of license, etc.) to the satisfaction of
			PEA.
			7. Training course shall be provided by the contractor for two (2) PEA's
			personnel per each unit, not less than one (1) day, for operation and
			maintenance of Acoustic Sound Imaging for Ultrasound complete with



Specification No.: RTES-N1-กบษ.-002/2565 : Acoustic Sound Imaging for Ultrasound

Page 6 of 6

C3 Schedule of detailed requirement

invitat	ion to Bid No.:		
	PEA		
Item	Material	Quantity	Description
	No.		
			software training, the contractor has to support for all expenses.
			8. The Contractor has to guarantee the quality of Acoustic Sound Imaging
			for Ultrasound including service and technical support for one (1) year
			from date of issuance of the notice of acceptance. During the guarantee
			period, the contractor shall replace the defective Acoustic Sound Imaging
			for Ultrasound for free of charge of shall pay an amount equal to the
			exact purchasing value for the defective quantity of the Acoustic Sound
			Imaging for Ultrasound.
			9. The bidders have to supply one (1) complete set the Acoustic Sound
			Imaging for Ultrasound and accessories to the site of PEA for
			demonstration, within five (5) days, counted from the bid closing date.
			The sample will be returned after consideration. Any bidder cannot
			supply sample, the bid shall be rejected. In case of the Acoustic Sound
			Imaging for Ultrasound and/or accessories are not functional with PEA's
			requirement, the bid shall be rejected
			10.กฟภ.ขอสงวนสิทธิ์ในการแจ้งให้บริษัทยื่นเสนอราคานำอุปกรณ์มา
			ทคสอบเพื่อทำการตรวจรับกับอุปกรณ์ในระบบไฟฟ้า ตามหัวข้อการ
			ทดสอบที่ กฟภ. มีการใช้งาน



Spe	cification	n No.: R	TES-N1-กบษ002/256	55: Acoustic Sound Imaging for Ultras	sound		Page 1 of 7
C4 Pri	ce schedule				Manufacturer :		
Invitat	ion to Bid No). :			Country of origin	:	
					Trade-mark:		
Item	PEA Material No.	Catalogue No.		Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
1			Acoustic Sound Imaging	for Ultrasound, one-handed carrying			
			handle (built-in type), to	use for locating sound sources from			
			Electric power System (P	artial Discharge) and to characterize			
			them, It consists of a grow	up of MEMS (Micro Electro Mechanical			
			Systems), from which s	ignals are simultaneously collected and			
			processed to form a repr	esentation of the location of the sound			
			sources, consisting of:				
			1.1 Acoustic Sound Imaging f	or Ultrasound, with:			
			1). General				
			Carrying handle	:			
			Display	:			
			Display resolution	:			
			Weight	:			



Specification No.: RTES-N1-กบษ002/2565 : Acoustic Sound Imaging for Ultrasound							Page 2 of 7
	24 Price schedule nvitation to Bid No.: Country of origin Trade-mark:						
Item	m PEA Material No. Catalogue No.		Description		Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
			Operating temperature	1			
			Protection standard	:			
			Relative humidity	:			
			Battery and Charging	:			
			Battery life	:			
			Zoom	:			
			Storage capacity	:			
			Video format	:			
			Interface	:			
			Languages	:			
			2). Camera & Optical System				
			Video range	:			
			3). Acoustic Specification				
			Microphones	:			
		1					



~p ~ (1110	TES-N1-กบษ002/2565 : Acoustic Sound Imaging for	Cinabouila		Page 3 of 7
C4 Price schedule Manufacturer :						
Invitat	evitation to Bid No.:					
invitation to Did 110			Trade-mark:			
Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
			Frequency :			
			Detection distance range :			
			Sensitivity :			
			Acoustic frame rate :			
			Source visualization :			
			PD Classification features:			
			4). Legal			
			RoHS Compliant :			
			Safety/Certifications :			
			5). Report			
			:			



Specification No.: RTES-N1-กบษ002/2565 : Acoustic Sound Imaging for Ultrasound							
C4 Pri	4 Price schedule Manufacturer :						
Invitat	ion to Bid No).:		Country of origin:			
				Trade-mark:			
Item	PEA Material No.	aterial Catalogue No. Description Quantity		Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)		
			Complete with:				
			1				
			2				
			3				
			4				
			5				
			6				
			7				



Spec	C111Cat10	n No.: R	(TES-N1-กบษ002/256)	5 : Acoustic Sound Imaging for Ultras	sound		Page 5 of 7
C4 Price schedule Manufacturer :							
Invitat	ation to Bid No.:						
					Trade-mark:		
Item	Material	Taterial Catalogue No.		Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
			1.2 Notebook computer with	1			
			Processor CPU	:			
			Core CPU	:			
			Cache CPU	:			
			Memory RAM	:			
			Storage	:			
			Display	:			
			Operation System	:			
			Wireless	:			
			Network port	:			
			Connection port	:			



Specification No.: RTES-N1-กบษ002/2565 : Acoustic Sound Imaging for Ultrasound							Page 6 of 7		
C4 Price schedule Manufacturer :									
[nvitat	evitation to Bid No.:								
					Trade-mark:				
Item	PEA Material No.	Catalogue No.	_	_		Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)
			Display port	:					
			Battery Life	:					
			Camera	:					
			Accessories	:					
			Weight	:					
			Power supply	:					
			Warranty	:					



C4 Price schedule Manufacturer :								
Invitation to Bid No.:				Country of origin:				
				Trade-mark:				
Item	PEA Material No.	Catalogue No.	Description	Quantity	Unit Cost (See details & conditions attached)	Total Cost (See details & conditions attached)		
			Spare parts (Give detail)					
			1)					
			2)					
			3)					
			4)					
			5)					
			Optional accessories (Give details)					
			1)					
			2)					
			3)					
			4)					